

INSTALLATION INSTRUCTIONS



ASTRID PIXIE 8W-CCT-FR



Important Safety

1. Before installation or maintenance, ensure that the mains supply to the luminaire is switched off and circuit supply fuses are removed or the circuit breaker is turned off.
2. It is recommended that only a qualified electrical contractor carries out the installation of this luminaire and that the luminaire is installed in compliance with the current edition of the IEE wiring Regulations.
3. The person carrying out the installation is to check and verify that the total load on the circuit, including that of this luminaire does not exceed the rating of the circuit cable, fuse or circuit breaker.
4. Where applicable, careful consideration should be taken during installation to ensure that all fixings and/or suspensions are of a suitable size for the luminaire being installed.

Instructions:

1. Select the required position for the downlight, beware of joists, water pipes and electric cables and the cut out the ceiling size indicated.
2. Provide mains supply to the cut-out in the ceiling.
3. Make sure the mains supply is switched off, before connecting any cables to the female connector socket provided. Connect the mains supply as per below.
LIVE – (Brown) L
NEUTRAL – (Blue) N
EARTH – (Green/Yellow) E
4. Plug the male connector plug into the terminated female connector socket and place into the ceiling void away from the downlight.
5. Push the downlight into the cut-out in the ceiling by folding the two spring arms back, the spring arms keep the downlight in place. Make sure that there are no trapped cables or insulation between and the trim of the fitting.
6. Switch on the power.

To change the colour temperature, switch off the mains supply.

Carefully remove the Twist & Lock bezel from the fitting to reveal the CCT switch. Move the switch to your desired colour temperature, then refit the bezel and switch the power back on.

MODEL CODE	WATTAGE	LAMP LUMEN OUTPUT	TRIM COLOURS	COLOUR TEMPERATURE	OVERALL SIZE
Astrid Pixie-8W-CCT-FR	8 Watt	600 lm	White* Satin Silver Chrome	CCT switch options 2700K 4000K 6500K	ø 87 mm x 80 mm H ø 75 mm cutout





Telephone: +44 (0)1704 512000

Email: info@morganhope.com www.morganhope.com