




Portable Site Light

PS-200

Deployable portable lighting in one
bespoke robust package.



**UP TO
5000LM**



Turbo	5,000LM
Standard	3,000LM
Balanced	1,800M
Eco	500LM

Application



Ultra-long Endurance

Standard Mode Up To **8+** Hours
(D24-100)



Various working modes.



IP66



IK10



Dimmable



360° Lighting



Light-weight



Long Working Hour





Placed on any surface or hung up to provide continuous lighting for complex environments.

2KG

Ultra-lightweight and capable of carrying multiple at once.

360-degree lighting that can illuminate all details even in small spaces.

360° lighting




Specifications



PS-200

Weight	2.0kg (Fitting only)
Power Supply	Battery
Lumens	0 - 5,000Lm
Run Times	>8 hours (Standard mode, D24-100)
IP Grade	IP66
Battery System	D24 Series
Working Temp.	-10 °C ~ 50 °C
Working Humidity	1~98%

Size (mm)



Package

Model	Size of Carton	Gross Weight of Carton	PCS/Carton
PS-200	220x240x500mm	2.3KG±5%	1



Morgan Hope Industries Ltd

Units 5 and 6, Blowick Industrial Park, Crowland Street, Southport, Merseyside PR9 7RU. England

Telephone: 01704 512000

Fax: 01704 542632

Email: info@morganhope.com